# AUTHOR INDEX

(D) Denotes Demonstration, (T) Title only, (C) Communication, (PC) Poster Communication


ABBOTT N. Joan, HASSAN S. & LIEBERMAN E.M. Evidence for glutamate as the mediator of axon–Schwann cell interactions in the isolated giant axon of the squid. (C) 63*P*

AELVOET Isabelle, ERLIJ David & VAN DRIESSCHE Willy Activation and blockage of a calcium-sensitive cation-selective pathway in the apical membrane of toad urinary bladder. 555

ALLEN D.G., ELLIOTT A.C. & SMITH G.L. The isolated Langendorff-perfused ferret heart adapted for simultaneous NMR spectroscopy and action potential recording. (D) 3*P*

ALLEN D.G., KENTISH J.C., LEE J.A. & SOLARO R.J. The effects of acidosis on $Ca^{2+}$ transients and tension in isolated neonatal rat ventricular muscle. (C) 47*P*

ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Temporal changes in the *in vitro* and *in vivo* release of opioid peptides and gonadotropin releasing hormone (GnRH) from the hypothalamus in response to a corticotropin releasing hormone (CRH) receptor antagonist in male Wistar rats. (C) 77*P*

AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

AMASSIAN V.E., ANZISKA B.J., CRACCO J.B., CRACCO R.Q. & MACCABEE P.J. Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. (C) 41*P*

ANDERSEN P., HVALBY Ø. & REYMANN K. Postsynaptic mechanisms contribute to the synaptic potentiation induced by phorbol esters in rat hippocampus pyramidal cells *in vitro*. (*C*) 24*P*

ANIKSZTEJN L., BEN-ARI Y. & ROISIN M.P. Release of endogenous excitatory amino acids and long-term potentiation of synaptic transmission in the hippocampus of the anaesthetized rat. (C) 21*P*

ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

ANTONIADES Christina *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

ANWYL R., LEE W.L., MULKEEN D. & ROWAN M. Effect of trains of stimuli and *N*-methyl aspartate on post-tetanic potentiation in the rat hippocampal slice. (C) 19*P*

ANZISKA B.J. *see* AMASSIAN V.E., ANZISKA B.J., CRACCO J.B., CRACCO R.Q. & MACCABEE P.J. Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. (C) 41*P*

AOYAMA M., HONGO T. & KUDO N. Sensory input to cells of origin of uncrossed spinocerebellar tract located below Clarke's column in the cat. 233

ARBUTHNOTT G.W., GARCIA-MUNOZ M. & RUTHERFORD A. *In vitro* study of the effect of dopamine administration on an after-hyperpolarization recorded in rat striatal cells. (PC) 86*P*

ASHLEY C.C., BARSOTTI R.J., FERENCZI M.A., LEA T.J. & MULLIGAN I.P. Simultaneous photolysis of 'caged'-ATP and 'caged'-calcium in permeabilized single muscle fibres from the frog. (C) 71*P*

AUGUSTINE George J., CHARLTON Milton P. & HORN Richard Role of calcium-activated potassium channels in transmitter release at the squid giant synapse. 149

AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F. Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. (C) 51*P*

BALICE-GORDON Rita J. & THOMPSON Wesley J. Synaptic rearrangements and alterations in motor unit properties in neonatal rat extensor digitorum longus muscle. 191

BALICE-GORDON Rita J. & THOMPSON Wesley J. The organization and development of compartmentalized innervation in rat extensor digitorum longus muscle. 211

BARNES P.J. *see* AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F. Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. (C) 51*P*

BARNETT T.G., MEEKS D.R., PILOT M.A., THOMPSON H.H. & ZARA G.P. A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. (D) 4*P*

BARROW S.E., COCKCROFT J.R., RITTER J.M. & SALVIDGE T.T. Effects of aspirin and salicylate on bradykinin-stimulated prostaglandin production in man. (C) 83*P*

BARSOTTI R.J. *see* ASHLEY C.C., BARSOTTI R.J., FERENCZI M.A., LEA T.J. & MULLIGAN I.P.

BASHIR Z.I. & HOLMES O. *N*-methyl D-aspartate (NMDA) and GABAergic interactions in the rat cerebral cortex. (C) 38*P*

BASSNETT S. & DUNCAN G. The influence of pH on membrane conductance and intercellular resistance in the rat lens.

BECKER D.L. & COOK J.E. Refinement of brachial selection by regenerating axons in the goldfish optic tract is not linked to activity-dependent refinement of the retinotectal map. (PC) 507 93*P*

BELVISI M.G. *see* AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F.

BEN-ARI Y., GHO M. & ROVIRA C. Kainic acid reduces both the baclofen induced outward current and the late inhibitory postsynaptic current in rat hippocampal CA3 neurones *in vitro*. (*C*) 20*P*

BEN-ARI Y. *see* ANIKSZTEJN L., BEN-ARI Y. & ROISIN M.P.

BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of vasopressin infusion in conscious, Brattleboro rats. (C) 57*P*

BENNETT T., GARDINER S.M. & O'NEILL T.P. Treatment of adult Wistar rats with synthetic capsaicin reversibly inhibits vasopressin-mediated recovery of blood pressure following acute hypotension. (C) 58*P*

BÉNY Jean-Louis & BRUNET Pascale Claude Electrophysiological and mechanical effects of substance P and acetylcholine on rabbit aorta. 277

BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

BERLAND M., BULLIER J., DEHAY C. & KENNEDY H. Prenatal development of callosal connections of the visual cortex in the macaque. (C) 37*P*

BERTHOLON J.F., CARLES J., EUGENE M., LABEYRIE E. & TEILLAC A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

BEVAN S. & FORBES C.A. Membrane effects of capsaicin on rat dorsal root ganglion neurones in cell culture. (C) 28*P*

BIALOJAN Corinna, RÜEGG J.C. & TAKAI A. Effects of okadaic acid on isometric tension and myosin phosphorylation of chemically skinned guinea-pig taenia coli. 81

BISSET G.W., CHOWDREY H.S., FAIRHALL K.M. & GUNN L.K. Is there a cholinergic link *in vivo* mediating the osmotic release of vasopressin in the rat? (C) 82*P*

BLISS T.V.P., CLEMENTS M.P., ERRINGTON M.L. & LYNCH M.A. Evidence that hippocampal long-term potentiation in the rat is associated with a G-protein-mediated modulation of phosphatidylinositol turnover. (PC) 95*P*

BLISS T.V.P., ERRINGTON M.L., EVAN G. & HUNT S.P. Induction of c-fos-like protein in rat hippocampus following electrical stimulation. (PC)

BOLAS N.M., GARDINER R.M., IVES N.K. & RAJAGOPALAN B. Bilirubin neurotoxicity in the rat following hyperosmolar opening of the blood–brain barrier studied *in vivo* using $^{31}P$ magnetic-resonance spectroscopy. (C) 96*P* 65*P*

BORNSTEIN J.C., COSTA M. & FURNESS J.B. Intrinsic and extrinsic inhibitory synaptic inputs to submucous neurones of the guinea-pig small intestine. 371

BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Effect of repetitive activity upon intracellular pH, sodium and contraction in sheep cardiac Purkinje fibres. 341

BOWATER R., FERENCZI M.A. & WEBB M.R. ATP release from the active site in rabbit psoas muscle fibres. (C) 70*P*

BOWSHER David, DAVID Jean-Marc & PELLET Jean Naloxone reverses reticular habituation to high-intensity somatic and acoustic stimuli in the rat. (C) 26*P*

BROWN A.G., MAXWELL D.J. & SHORT A.D. Responses of neurones in the lateral cervical nucleus of chloralose-anaesthetized cats. (C) 31*P*

BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted image analysis of *in situ* hybridization (ISH). (C) 75*P*

BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. (C) 76*P*

BRUM G., RÍOS E. & STÉFANI E. Effects of extracellular calcium on calcium movements of excitation–contraction coupling in frog skeletal muscle fibres. 441

BRUM Gustavo, FITTS Robert, PIZARRO Gonzalo & RÍOS Eduardo Voltage sensors of the frog skeletal muscle membrane require calcium to function in excitation–contraction coupling. 475

BRUNET Pascale Claude *see* BÉNY Jean-Louis & BRUNET Pascale Claude Electrophysiological and mechanical effects of substance P and acetylcholine on rabbit aorta. 277

BULLIER J. *see* BERLAND M., BULLIER J., DEHAY C. & KENNEDY H. Prenatal development of callosal connections of the visual cortex in the macaque. (C) 37*P*

BURGESS G.M., MCNEILL M. & MULLANEY I. Some actions of bradykinin in neonatal rat sensory neurones in culture are mediated by protein kinase C. (C) 17*P*

BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 49*P*

CAMM A.J. *see* BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 49*P*

CARLES J. *see* BERTHOLON J.F., CARLES J., EUGENE M., LABEYRIE E. & TEILLAC A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

CASIROLA D., FERRARI G., GASTALDI G., PATRINI C. & RINDI G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

CERVERO F. & MORALES A. Heterotopic noxious heating of the skin inhibits dorsal-horn neurones in normal rats and in rats treated at birth with capsaicin. (C) 29*P*

CHAMBERS G., CLARK R.G., LEWIN J. & ROBINSON I.C.A.F. Automatic repetitive microsampling of blood from conscious freely moving rats. (D) 8*P*

CHANNER K.S. & JONES J.V. Change with exercise in the contribution of atrial systole to diastolic blood flow across the mitral valve in man. (C) 56*P*

CHARLTON Milton P. *see* AUGUSTINE George J., CHARLTON Milton P. & HORN Richard Role of calcium-activated potassium channels in transmitter release at the squid giant synapse. 149

CHATAMRA K.-R. & DANIEL P.M. Diminution in the glycogen content of muscle of fasted rats. (PC) 92*P*

CHESNOY-MARCHAIS Dominique & FRITSCH Janine Voltage-gated sodium and calcium currents in rat osteoblasts. 291

CHILLINGWORTH R.K., FERENCZI M.A. & TRENTHAM D.R. Laser-flash photolysis of caged-compounds in permeabilized muscle fibres of the frog and rabbit. (D) 5*P*

CHOWDREY H.S. *see* BISSET G.W., CHOWDREY H.S., FAIRHALL K.M. & GUNN L.K. Is there a cholinergic link *in vivo* mediating the osmotic release of vasopressin in the rat? (C) 82*P*

CHRICHTON C.A., LAMONT Christine, MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, anserine and novel imidazoles in cardiac and skeletal muscle of several species by high-performance liquid chromatography. (C) 74*P*

CHUNG S.H. *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

CLARK R.G. *see* CHAMBERS G., CLARK R.G., LEWIN J. & ROBINSON I.C.A.F. Automatic repetitive microsampling of blood from conscious freely moving rats. (D) 8*P*

CLARK R.G., ROBINSON I.C.A.F. & SKOTTNER A. Growth responses to recombinant human insulin-like growth-factor 1 (IGF-1) and human growth hormone (hGH) in a mutant dwarf rat. (C) 80*P*

CLAUS D., MILLS K.R. & MURRAY N.M.F. The influence of vibration on the response to transcranial stimulation of relaxed and voluntarily activated human muscle. (C) 44*P*

CLEMENTS M.P. *see* BLISS T.V.P., CLEMENTS M.P., ERRINGTON M.L. & LYNCH M.A. Evidence that hippocampal long-term potentiation in the rat is associated with a G-protein-mediated modulation of phosphatidylinositol turnover. (PC) 95*P*

CLUNN G.F., LEA E.J.A. & LUCAS V.A. Bovine lens fibre membrane proteins reconstituted in lipid bilayer membranes. (C) 10*P*

COCKCROFT J.R. *see* BARROW S.E., COCKCROFT J.R., RITTER J.M. & SALVIDGE T.T. Effects of aspirin and salicylate on bradykinin-stimulated prostaglandin production in man. (C) 83*P*

COLES J.A., GIOVANNINI P. & THOMAS R.C. Changes in extracellular pH induced by light stimulation in slices of honeybee drone retina. (C) 59*P*

COLLINGRIDGE G.L. & LESTER R.A.J. The sensitivity of CA1 neurones to quisqualate following high-frequency stimulation in rat hippocampus *in vitro*. (*C*) 22*P*

COMPTON A.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of vasopressin infusion in conscious, Brattleboro rats. (C) 57*P*

COOK J.E. *see* BECKER D.L. & COOK J.E. Refinement of brachial selection by regenerating axons in the goldfish optic tract is not linked to activity-dependent refinement of the retinotectal map. (PC) 93*P*

COOMBES J.E., ROBINSON I.C.A.F. & RUSSELL J.A. Release of oxytocin (OXT) into both cerebrospinal fluid (CSF) and blood by naloxone in anaesthetized morphine-dependent rats. (C) 79*P*

COSTA M. *see* BORNSTEIN J.C., COSTA M. & FURNESS J.B. Intrinsic and extrinsic inhibitory synaptic inputs to submucous neurones of the guinea-pig small intestine. 371

COX H.M., CUTHBERT A.W., HÅKANSON R. & WAHLESTEDT C. The effect of neuropeptide Y and peptide YY on electrogenic ion transport in rat intestinal epithelia. 65

CRACCO J.B. *see* AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

CRACCO J.B. *see* AMASSIAN V.E., ANZISKA B.J., CRACCO J.B., CRACCO R.Q. & MACCABEE P.J. Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. (C) 41*P*

CRACCO R.Q. *see* AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

CRACCO R.Q. *see* AMASSIAN V.E., ANZISKA B.J., CRACCO J.B., CRACCO R.Q. & MACCABEE P.J. Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. (C) 41*P*

CROGHAN P.C., DUNCAN G. & EMPTAGE N.J. Aspirin prevents recovery of $CO_2$-induced change of internal resistance in the isolated lens of the frog *Rana pipiens* (*C*) 9*P*

CULL-CANDY S.G., MATHIE A. & NEWLAND C.F. Influence of picrotoxin on ion channels activated by γ-aminobutyric acid in dissociated sympathetic neurones of the rat. (PC) 89*P*

CUTHBERT A.W. *see* COX H.M., CUTHBERT A.W., HÅKANSON R. & WAHLESTEDT C. The effect of neuropeptide Y and peptide YY on electrogenic ion transport in rat intestinal epithelia.

DANIEL E.E. & SERIO R. Evidence for a thromboxane modulation of the isolated canine trachealis smooth-muscle function. (C) 65 46*P*

DANIEL P.M. *see* CHATAMRA K.-R. & DANIEL P.M. Diminution in the glycogen content of muscle of fasted rats. (PC) 92*P*

DASHWOOD M.R. & SPYER K.M. Denervation-induced mu opiate receptor changes in the cat nucleus of the tractus solitarius: an autoradiographic study. (PC) 84*P*

DASHWOOD M.R. & MAY C.N. Central opiate and alpha$_2$-adrenergic receptors in the rabbit: distribution and cardiovascular involvement. (PC) 87*P*

DAUT J. & ELZINGA G. Heat production of quiescent ventricular trabeculae isolated from guinea-pig heart. 259

DAVENPORT A.P. *see* BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

DAVENPORT A.P. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted image analysis of *in situ* hybridization (ISH). (C) 75*P*

DAVENPORT A.P. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. (C) 76*P*

DAVID Jean-Marc *see* BOWSHER David, DAVID Jean-Marc & PELLET Jean Naloxone reverses reticular habituation to high-intensity somatic and acoustic stimuli in the rat. (C) 26*P*

DAWES E.A., GRANT S. & KEATING M.J. The 'critical period' for intertectal plasticity in the frog, *Xenopus laevis*: its prolongation by dark-rearing. (C) 34*P*

DEHAY C. *see* BERLAND M., BULLIER J., DEHAY C. & KENNEDY H. Prenatal development of callosal connections of the visual cortex in the macaque. (C) 37*P*

DHANJAL S.S. *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

DIJK S. *see* AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F. Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. (C) 51*P*

DOCHERTY R.J. Gadolinium selectively blocks a component of calcium current in rodent neuroblastoma × glioma hybrid (NG108-15) cells. 33

DONALDSON I.M.L. & KNOX P.C. Units in pigeon brainstem whose vestibular responses are modulated by passive eye-movement. (C) 35*P*

DONGA R., GOTTLIEB S., JUCH P.J.W. & TAYLOR A. Use of mid-brain stimulation to identify jaw muscle fusimotoneurones in reflex movements in anaesthetized cats. (C) 33*P*

DRAKE-HOLLAND A.J. *see* BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 49*P*

DRINKHILL M.J., HICKS M.N., MARY D.A.S.G. & PEARSON M.J. The effect of stimulation of the atrial receptors on plasma renin activity in the dog. 411

DRYER S.E., FUJII Joanne & MARTIN A.R. A sodium-activated potassium current in cultured brainstem neurones (C) 12*P*

DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

DUNCAN G. *see* CROGHAN P.C., DUNCAN G. & EMPTAGE N.J. Aspirin prevents recovery of $CO_2$-induced change of internal resistance in the isolated lens of the frog *Rana pipiens* (*C*) 9*P*

DUNCAN G. *see* BASSNETT S. & DUNCAN G. The influence of pH on membrane conductance and intercellular resistance in the rat lens. 507

DYBALL R.E.J., FORSLING Mary L., PATERSON Anna T. & PEYSNER K. Rapid daily turnover of vasopressin in the neurohypophysis of mice and rats. (PC) 90*P*

EBERLE L. *see* AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

EISNER D.A., NICHOLLS C.G., O'NEILL S.C., SMITH G.L. & VALDEOLMILLOS M. The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. (C) 48*P*

ELFORD B.C., ELLORY J.C. & NEWBOLD C.I. Independent mechanisms for L-glutamine influx in normal and malaria-infected human erythrocytes. (C) 67*P*

ELLIOTT A.C. *see* ALLEN D.G., ELLIOTT A.C. & SMITH G.L. The isolated Langendorff-perfused ferret heart adapted for simultaneous NMR spectroscopy and action potential recording. (D) 3*P*

ELLORY J.C. *see* ELFORD B.C., ELLORY J.C. & NEWBOLD C.I. Independent mechanisms for L-glutamine influx in normal and malaria-infected human erythrocytes. (C) 67*P*

ELZINGA G. *see* DAUT J. & ELZINGA G. Heat production of quiescent ventricular trabeculae isolated from guinea-pig heart. 259

EMPTAGE N.J. *see* CROGHAN P.C., DUNCAN G. & EMPTAGE N.J. Aspirin prevents recovery of $CO_2$-induced change of internal resistance in the isolated lens of the frog *Rana pipiens* (*C*) 9*P*

EMSON P.C. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted image analysis of *in situ* hybridization (ISH). (C) 75*P*

EMSON P.C. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. (C) 76*P*

ERLIJ David *see* AELVOET Isabelle, ERLIJ David & VAN DRIESSCHE Willy Activation and blockage of a calcium-sensitive cation-selective pathway in the apical membrane of toad urinary bladder. 555

ERRINGTON M.L. *see* BLISS T.V.P., CLEMENTS M.P., ERRINGTON M.L. & LYNCH M.A. Evidence that hippocampal long-term potentiation in the rat is associated with a G-protein-mediated modulation of phosphatidylinositol turnover. (PC) 95*P*

ERRINGTON M.L. *see* BLISS T.V.P., ERRINGTON M.L., EVAN G. & HUNT S.P. Induction of c-fos-like protein in rat hippocampus following electrical stimulation. (PC) 96*P*

ESPLUGUES J.V. & WHITTLE B.J.R. Mechanisms underlying Paf-induced rat gastric motility *in vivo*. (*PC*) 99*P*

EUGENE M. *see* BERTHOLON J.F., CARLES J., EUGENE M., LABEYRIE E. & TEILLAC A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

EVAN G. *see* BLISS T.V.P., ERRINGTON M.L., EVAN G. & HUNT S.P. Induction of c-fos-like protein in rat hippocampus following electrical stimulation. (PC) 96*P*

EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response in various muscles of the human upper limb. (C) 43*P*

EVANS T.W. *see* AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F. Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. (C) 51*P*

FAIRHALL K.M. *see* BISSET G.W., CHOWDREY H.S., FAIRHALL K.M. & GUNN L.K. Is there a cholinergic link *in vivo* mediating the osmotic release of vasopressin in the rat? (C) 82*P*

FERENCZI M.A. *see* CHILLINGWORTH R.K., FERENCZI M.A. & TRENTHAM D.R. Laser-flash photolysis of caged-compounds in permeabilized muscle fibres of the frog and rabbit. (D) 5*P*

FERENCZI M.A. *see* BOWATER R., FERENCZI M.A. & WEBB M.R. ATP release from the active site in rabbit psoas muscle fibres. (C) 70*P*

FERENCZI M.A. *see* ASHLEY C.C., BARSOTTI R.J., FERENCZI M.A., LEA T.J. & MULLIGAN I.P. Simultaneous photolysis of 'caged'-ATP and 'caged'-calcium in permeabilized single muscle fibres from the frog. (C) 71*P*

FERENCZI M.A. & STIENEN G.J.M. Force relaxation in skinned fast fibres of the iliofibularis muscle of *Xenopus laevis* by photolysis of caged ATP. (C) 73*P*

FERRARI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PATRINI C. & RINDI G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

FISHER E.J. & PATTERSON J.A. Photoreceptor sizes in the retina of the squid, *Alloteuthis subulata*. (*PC*)

FITTS Robert *see* BRUM Gustavo, FITTS Robert, PIZARRO Gonzalo & RÍOS Eduardo Voltage sensors of the frog skeletal muscle membrane require calcium to function in excitation–contraction coupling. 97*P* 475

FITZGERALD Maria, SHORTLAND Peter & WOOLF Clifford J. The somatotopic arrangement of single hair follicle afferent terminals in the dorsal horn of the rat lumbar spinal cord. (C) 32*P*

FLITCROFT D.I. & JUDGE S.J. The effect of stimulus chromaticity on ocular accommodation in the monkey. (C) 36*P*

FORBES C.A. *see* BEVAN S. & FORBES C.A. Membrane effects of capsaicin on rat dorsal root ganglion neurones in cell culture. (C) 28*P*

FORSLING Mary L. *see* DYBALL R.E.J., FORSLING Mary L., PATERSON Anna T. & PEYSNER K. Rapid daily turnover of vasopressin in the neurohypophysis of mice and rats. (PC) 90*P*

FRITSCH Janine *see* CHESNOY-MARCHAIS Dominique & FRITSCH Janine Voltage-gated sodium and calcium currents in rat osteoblasts. 291

FUJII Joanne *see* DRYER S.E., FUJII Joanne & MARTIN A.R. A sodium-activated potassium current in cultured brain-stem neurones (C) 12*P*

FURNESS J.B. *see* BORNSTEIN J.C., COSTA M. & FURNESS J.B. Intrinsic and extrinsic inhibitory synaptic inputs to submucous neurones of the guinea-pig small intestine. 371

GAMBLE J., SMAJE L.H. & SPENCER P.D. Filtration coefficient and osmotic reflection coefficient to albumin in rabbit submandibular gland capillaries. 15

GARCIA-MUNOZ M. *see* ARBUTHNOTT G.W., GARCIA-MUNOZ M. & RUTHERFORD A. *In vitro* study of the effect of dopamine administration on an after-hyperpolarization recorded in rat striatal cells. (PC) 86*P*

GARDINER R.M. *see* BOLAS N.M., GARDINER R.M., IVES N.K. & RAJAGOPALAN B. Bilirubin neurotoxicity in the rat following hyperosmolar opening of the blood–brain barrier studied *in vivo* using $^{31}$P magnetic-resonance spectroscopy. (C) 65*P*

GARDINER S.M. *see* BENNETT T., COMPTON A.M. & GARDINER S.M. Regional haemodynamic effects of vasopressin infusion in conscious, Brattleboro rats. (C) 57*P*

GARDINER S.M. *see* BENNETT T., GARDINER S.M. & O'NEILL T.P. Treatment of adult Wistar rats with synthetic capsaicin reversibly inhibits vasopressin-mediated recovery of blood pressure following acute hypotension. (C) 58*P*

GARZON B. *see* DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

GASTALDI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PATRINI C. & RINDI G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

GELOSO J.P. *see* DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

GEORGIOU, P., HOUSE C.R., MCNIVEN A.I. & YOSHIDA S. A delayed transient hyperpolarization induced by calcium influx in unfertilized golden hamster eggs. (C) 11*P*

GHO M. *see* BEN-ARI Y., GHO M. & ROVIRA C. Kainic acid reduces both the baclofen induced outward current and the late inhibitory postsynaptic current in rat hippocampal CA3 neurones *in vitro*. (*C*) 20*P*

GIOVANNINI P. *see* COLES J.A., GIOVANNINI P. & THOMAS R.C. Changes in extracellular pH induced by light stimulation in slices of honeybee drone retina. (C) 59*P*

GOLDMAN Y.E., MCCRAY J.A. & VALLETTE D.P. Cross-bridges in rigor fibres of rabbit psoas muscle support negative forces. (C) 72*P*

GOTTLIEB S. *see* DONGA R., GOTTLIEB S., JUCH P.J.W. & TAYLOR A. Use of mid-brain stimulation to identify jaw muscle fusimotoneurones in reflex movements in anaesthetized cats. (C) 33*P*

GRANT S. *see* DAWES E.A., GRANT S. & KEATING M.J. The 'critical period' for intertectal plasticity in the frog, *Xenopus laevis*: its prolongation by dark-rearing. (C) 34*P*

GRIERSON I., HITCHINGS R.A. & JOSEPH J.P. The effect of exogenous ATP on intact ocular fibroblasts of the rabbit. (C) 68*P*

GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

GUNN L.K. *see* BISSET G.W., CHOWDREY H.S., FAIRHALL K.M. & GUNN L.K. Is there a cholinergic link *in vivo* mediating the osmotic release of vasopressin in the rat? (C) 82*P*

HÅKANSON R. *see* COX H.M., CUTHBERT A.W., HÅKANSON R. & WAHLESTEDT C. The effect of neuropeptide Y and peptide YY on electrogenic ion transport in rat intestinal epithelia. 65

HALES T.G. & LAMBERT J.J. The actions of chlormethiazole on the $GABA_A$ receptor of bovine chromaffin cells in culture. (C) 14*P*

HALL M.D. *see* BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

HALL M.D. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted image analysis of *in situ* hybridization (ISH). (C) 75*P*

HALL M.D. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. (C) 76*P*

HAMMOND B.J. *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

HARRISON Linda M. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response in various muscles of the human upper limb. (C) 43*P*

HARRISON P.J. Automatic gain control of cutaneous reflexes elicited by electrical stimulation of the index finger in man. (C) 42*P*

HASSAN S. *see* ABBOTT N. Joan, HASSAN S. & LIEBERMAN E.M. Evidence for glutamate as the mediator of axon–Schwann cell interactions in the isolated giant axon of the squid. (C) 63*P*

HERVATIN Florence *see* DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

HERZ A. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Temporal changes in the *in vitro* and *in vivo* release of opioid peptides and gonadotropin releasing hormone (GnRH) from the hypothalamus in response to a corticotropin releasing hormone (CRH) receptor antagonist in male Wistar rats. (C) 77*P*

HICKS M.N. *see* DRINKHILL M.J., HICKS M.N., MARY D.A.S.G. & PEARSON M.J. The effect of stimulation of the atrial receptors on plasma renin activity in the dog. 411

HILL R.G. *see* BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

HITCHINGS R.A. *see* GRIERSON I., HITCHINGS R.A. & JOSEPH J.P. The effect of exogenous ATP on intact ocular fibroblasts of the rabbit. (C) 68*P*

HOLMES O. *see* BASHIR Z.I. & HOLMES O. *N*-methyl D-aspartate (NMDA) and GABAergic interactions in the rat cerebral cortex. (C) 38*P*

HOLMES O. & MILLER J.A.L. Laminar sensitivity profiles in penicillin epileptogenesis in rat visual and Sm1 cortex. (C) 39*P*

HONGO T. *see* AOYAMA M., HONGO T. & KUDO N. Sensory input to cells of origin of uncrossed spinocerebellar tract located below Clarke's column in the cat. 233

HORIUTI K. Mechanism of contracture on cooling of caffeine-treated frog skeletal muscle fibres. 131

HORN Richard *see* AUGUSTINE George J., CHARLTON Milton P. & HORN Richard Role of calcium-activated potassium channels in transmitter release at the squid giant synapse. 149

HOUNSGAARD Jørn, KIEHN Ole & MINTZ Isabelle Response properties of motoneurones in a slice preparation of the turtle spinal cord. 575

HOUNSGAARD Jørn & MINTZ Isabelle Calcium conductance and firing properties of spinal motoneurones in the turtle. 591

HOUSE C.R. *see* GEORGIOU, P., HOUSE C.R., MCNIVEN A.I. & YOSHIDA S. A delayed transient hyperpolarization induced by calcium influx in unfertilized golden hamster eggs. (C) 11*P*

HOUSTON J.E. & WILSON S.M. $Ca^{2+}$-dependent efflux of $^{86}Rb^{+}$ from the rat submandibular gland *in vitro*. (C) 66*P*

HUGHES J. *see* BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^{+}$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

HUNT S.P. *see* BLISS T.V.P., ERRINGTON M.L., EVAN G. & HUNT S.P. Induction of c-fos-like protein in rat hippocampus following electrical stimulation. (PC) 96*P*

HUNTER M. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

HUSSAIN M. & SINGH J. Control of protein secretion by non-cholinergic, non-adrenergic nerves in isolated rat lacrimal glands. (PC) 88*P*

HVALBY Ø. *see* ANDERSEN P., HVALBY Ø. & REYMANN K. Postsynaptic mechanisms contribute to the synaptic potentiation induced by phorbol esters in rat hippocampus pyramidal cells *in vitro*. (C) 24*P*

IVES N.K. *see* BOLAS N.M., GARDINER R.M., IVES N.K. & RAJAGOPALAN B. Bilirubin neurotoxicity in the rat following hyperosmolar opening of the blood–brain barrier studied *in vivo* using $^{31}P$-magnetic-resonance spectroscopy. (C) 65*P*

IZZO P.N., LIN R.J., MIFFLIN S.W., SPYER K.M. & W.-WRAY D.J. Functional topography and axonal morphology of hypoglossal motoneurones in the cat. (PC) 94*P*

JONES J.V. *see* CHANNER K.S. & JONES J.V. Change with exercise in the contribution of atrial systole to diastolic blood flow across the mitral valve in man. (C) 56*P*

JOSEPH J.P. *see* GRIERSON I., HITCHINGS R.A. & JOSEPH J.P. The effect of exogenous ATP on intact ocular fibroblasts of the rabbit. (C) 68*P*

JUCH P.J.W. *see* DONGA R., GOTTLIEB S., JUCH P.J.W. & TAYLOR A. Use of mid-brain stimulation to identify jaw muscle fusimotoneurones in reflex movements in anaesthetized cats. (C) 33*P*

JUDGE S.J. *see* FLITCROFT D.I. & JUDGE S.J. The effect of stimulus chromaticity on ocular accommodation in the monkey. (C) 36*P*

KADOR P., LIGHTMAN S., RAPOPORT S. & RECHTHAND E. Aldose reductase inhibitors prevent breakdown of the blood–retinal barrier in galactosaemic rats. (C) 64*P*

KAILA K. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Effect of repetitive activity upon intracellular pH, sodium and contraction in sheep cardiac Purkinje fibres. 341

KAUER J.A., MALENKA R.C. & NICOLL R.A. NMDA ionophoresis or synaptic stimulation causes potentiation of synaptic transmission when paired with postsynaptic depolarization in hippocampal pyramidal cells of the rat. (C) 23*P*

KEATING M.J. *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

KEATING M.J. *see* DAWES E.A., GRANT S. & KEATING M.J. The 'critical period' for intertectal plasticity in the frog, *Xenopus laevis*: its prolongation by dark-rearing. (C) 34*P*

KENNEDY H. *see* BERLAND M., BULLIER J., DEHAY C. & KENNEDY H. Prenatal development of callosal connections of the visual cortex in the macaque. (C) 37*P*

KENTISH J.C. *see* ALLEN D.G., KENTISH J.C., LEE J.A. & SOLARO R.J. The effects of acidosis on $Ca^{2+}$ transients and tension in isolated neonatal rat ventricular muscle. (C) 47*P*

KIEHN Ole *see* HOUNSGAARD Jørn, KIEHN Ole & MINTZ Isabelle Response properties of motoneurones in a slice preparation of the turtle spinal cord. 575

KIM Donghee & SMITH Thomas W. Cellular mechanisms underlying calcium–proton interactions in cultured chick ventricular cells. 391

KING M.C. *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

KNOTT Christine *see* ANSON M., ANTONIADES Christina, CHUNG S.H., DHANJAL S.S., HAMMOND B.J., KEATING M.J., KING M.C. & KNOTT Christine A method of extracting neuronal activity from background noise using digital signal processing. (D) 7*P*

KNOX P.C. *see* DONALDSON I.M.L. & KNOX P.C. Units in pigeon brainstem whose vestibular responses are modulated by passive eye-movement. (C) 35*P*

KRNJEVIĆ K., LEBLOND J. & MORRIS M.E. Anoxia-evoked increases in extracellular [Ca] in isolated rat hippocampal slices. (C) 13*P*

KUDO N. *see* AOYAMA M., HONGO T. & KUDO N. Sensory input to cells of origin of uncrossed spinocerebellar tract located below C'arke's column in the cat. 233

LABEYRIE E. *see* BERTHOLON J.F., CARLES J., EUGENE M., LABEYRIE E. & TEILLAC A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

LAMBERT J.J. *see* HALES T.G. & LAMBERT J.J. The actions of chlormethiazole on the $GABA_A$ receptor of bovine chromaffin cells in culture. (C) 14*P*

LAMONT Christine *see* CHRICHTON C.A., LAMONT Christine, MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, anserine and novel imidazoles in cardiac and skeletal muscle of several species by high-performance liquid chromatography. (C) 74*P*

LAYCOCK J.F., LIGHTMAN S.L. & OBIKA L.F.O. Dose-related cardiovascular effects of intravenously injected vasopressin in the anaesthetized Brattleboro rat. (PC) 91*P*

LEA E.J.A. *see* CLUNN G.F., LEA E.J.A. & LUCAS V.A. Bovine lens fibre membrane proteins reconstituted in lipid bilayer membranes. (C) 10*P*

LEA T.J. *see* ASHLEY C.C., BARSOTTI R.J., FERENCZI M.A., LEA T.J. & MULLIGAN I.P. Simultaneous photolysis of 'caged'-ATP and 'caged'-calcium in permeabilized single muscle fibres from the frog. (C) 71*P*

LEBERER E *see* GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

LEBLOND J. *see* KRNJEVIĆ K., LEBLOND J. & MORRIS M.E. Anoxia-evoked increases in extracellular [Ca] in isolated rat hippocampal slices. (C) 13*P*

LEE J.A. *see* ALLEN D.G., KENTISH J.C., LEE J.A. & SOLARO R.J. The effects of acidosis on $Ca^{2+}$ transients and tension in isolated neonatal rat ventricular muscle. (C) 47*P*

LEE W.L. *see* ANWYL R., LEE W.L., MULKEEN D. & ROWAN M. Effect of trains of stimuli and *N*-methyl aspartate on post-tetanic potentiation in the rat hippocampal slice. (C) 19*P*

LEEK B.F. & STAFFORD K.J. Chronic catheterization of the coeliac and left gastric arteries in sheep. (D) 2*P*

LEEK B.F. & STAFFORD K.J. The effect of repeated injections of adrenaline upon the duration and pattern of rumination in sheep. (C) 61*P*

LESTER R.A.J. *see* COLLINGRIDGE G.L. & LESTER R.A.J. The sensitivity of CA1 neurones to quisqualate following high-frequency stimulation in rat hippocampus *in vitro*. (*C*) 22*P*

LEWIN J. *see* CHAMBERS G., CLARK R.G., LEWIN J. & ROBINSON I.C.A.F. Automatic repetitive microsampling of blood from conscious freely moving rats. (D) 8*P*

LIEBERMAN E.M. *see* ABBOTT N. Joan, HASSAN S. & LIEBERMAN E.M. Evidence for glutamate as the mediator of axon–Schwann cell interactions in the isolated giant axon of the squid. (C) 63*P*

LIGHTMAN S. *see* KADOR P., LIGHTMAN S., RAPOPORT S. & RECHTHAND E. Aldose reductase inhibitors prevent breakdown of the blood–retinal barrier in galactosaemic rats. (C) 64*P*

LIGHTMAN S.L. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. &

UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

LIGHTMAN S.L. *see* LAYCOCK J.F., LIGHTMAN S.L. & OBIKA L.F.O. Dose-related cardiovascular effects of intravenously injected vasopressin in the anaesthetized Brattleboro rat. (PC) 91*P*

LIN R.J. *see* IZZO P.N., LIN R.J., MIFFLIN S.W., SPYER K.M. & W.-WRAY D.J. Functional topography and axonal morphology of hypoglossal motoneurones in the cat. (PC) 94*P*

LINDSAY R.M. & RANG H.P. Activation of protein kinase C causes inward current in a proportion of rat sensory neurones in culture. (C) 16*P*

LØMO T. *see* GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

LOW J.C. 'B-wave gain' of the mouse electroretinogram varies with light intensity. (C) 45*P*

LUCAS V.A. *see* CLUNN G.F., LEA E.J.A. & LUCAS V.A. Bovine lens fibre membrane proteins reconstituted in lipid bilayer membranes. (C) 10*P*

LYNCH M.A. *see* BLISS T.V.P., CLEMENTS M.P., ERRINGTON M.L. & LYNCH M.A. Evidence that hippocampal long-term potentiation in the rat is associated with a G-protein-mediated modulation of phosphatidylinositol turnover. (PC) 95*P*

MACCABEE P.J. *see* AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

MACCABEE P.J. *see* AMASSIAN V.E., ANZISKA B.J., CRACCO J.B., CRACCO R.Q. & MACCABEE P.J. Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. (C) 41*P*

MCCRAY J.A. *see* GOLDMAN Y.E., MCCRAY J.A. & VALLETTE D.P. Cross-bridges in rigor fibres of rabbit psoas muscle support negative forces. (C) 72*P*

MACDONALD A.G., OGSTON D. & PICKLES D.M. Secretion of ATP by human platelets is inhibited by 50 atmospheres pressure. (C) 60*P*

MACKNIGHT Anthony D.C., MCLAUGHLIN Charles W. & SCOTT Robert J. Sodium–hydrogen ion exchange in rabbit renal cortical slices incubated in acetate media. 523

MCLAUGHLIN Charles W. *see* MACKNIGHT Anthony D.C., MCLAUGHLIN Charles W. & SCOTT Robert J. Sodium–hydrogen ion exchange in rabbit renal cortical slices incubated in acetate media. 523

MCNEILL M. *see* BURGESS G.M., MCNEILL M. & MULLANEY I. Some actions of bradykinin in neonatal rat sensory neurones in culture are mediated by protein kinase C. (C) 17*P*

MCNIVEN A.I. *see* GEORGIOU, P., HOUSE C.R., MCNIVEN A.I. & YOSHIDA S. A delayed transient hyperpolarization induced by calcium influx in unfertilized golden hamster eggs. (C) 11*P*

MADISON D.V., MALINOW R. & TSIEN R.W. Inhibitors of protein kinase C block long-term potentiation in rat hippocampal slices. (C) 18*P*

MADISON D.V. & NICOLL R.A. Enkephalin hyperpolarizes interneurones in the rat hippocampus. 123

MALENKA R.C. *see* KAUER J.A., MALENKA R.C. & NICOLL R.A. NMDA ionophoresis or synaptic stimulation causes potentiation of synaptic transmission when paired with postsynaptic depolarization in hippocampal pyramidal cells of the rat. (C) 23*P*

MALINOW R. *see* MADISON D.V., MALINOW R. & TSIEN R.W. Inhibitors of protein kinase C block long-term potentiation in rat hippocampal slices. (C) 18*P*

MARRIOTT John F. & MARSHALL Janice M. Is the ability of hypoxia to reduce noradrenaline-induced contractions in isolated rabbit arteries explained by inhibition of $Ca^{2+}$ influx? (C) 55*P*

MARRIOTT John F. & MARSHALL Janice M. The effects of hypoxia upon rabbit basilar arteries *in vitro*. (*PC*) 98*P*

MARSHALL Janice M. *see* MARRIOTT John F. & MARSHALL Janice M. Is the ability of hypoxia to reduce noradrenaline-induced contractions in isolated rabbit arteries explained by inhibition of $Ca^{2+}$ influx? (C) 55*P*

MARSHALL Janice M. *see* MARRIOTT John F. & MARSHALL Janice M. The effects of hypoxia upon rabbit basilar arteries *in vitro*. (*PC*) 98*P*

MARTIN A.R. *see* DRYER S.E., FUJII Joanne & MARTIN A.R. A sodium-activated potassium current in cultured brain-stem neurones (C) 12*P*

MARTIN G., SEVER P. & THOM S. Effect of adenosine-5′-triphosphate (ATP) on isolated human arterioles. (C) 50*P*

MARY D.A.S.G. *see* DRINKHILL M.J., HICKS M.N., MARY D.A.S.G. & PEARSON M.J. The effect of stimulation of the atrial receptors on plasma renin activity in the dog. 411

MASON W.T. & RAWLINGS S.R. Whole cell recordings from cultured somatotrophs of the bovine adenohypophysis. (C) 78*P*

MATHIAS C.J., MAY C.N. & WHITEHEAD C.J. Intracerebroventricular, but not intracisternal, administration of the mu opioid agonist (D-Ala$^2$-, MePhe$^4$-, Gly$^5$-ol)enkephalin causes hypertension and hyperglycaemia in conscious rabbits. (C) 53*P*

MATHIE A. *see* CULL-CANDY S.G., MATHIE A. & NEWLAND C.F. Influence of picrotoxin on ion channels activated by γ-aminobutyric acid in dissociated sympathetic neurones of the rat. (PC) 89*P*

MATZNER H., PARNAS H. & PARNAS I. Presynaptic effects of *d*-tubocurarine on neurotransmitter release at the neuromuscular junction of the frog. 109

MAXWELL D.J. *see* BROWN A.G., MAXWELL D.J. & SHORT A.D. Responses of neurones in the lateral cervical nucleus of chloralose-anaesthetized cats. (C) 31*P*

MAY C.N. *see* MATHIAS C.J., MAY C.N. & WHITEHEAD C.J. Intracerebroventricular, but not intracisternal, administration of the mu opioid agonist (D-Ala$^2$-, MePhe$^4$-, Gly$^5$-ol)enkephalin causes hypertension and hyperglycaemia in conscious rabbits. (C) 53*P*

MAY C.N. *see* DASHWOOD M.R. & MAY C.N. Central opiate and alpha$_2$-adrenergic receptors in the rabbit: distribution and cardiovascular involvement. (PC) 87*P*

MEEKS D.R. *see* BARNETT T.G., MEEKS D.R., PILOT M.A., THOMPSON H.H. & ZARA G.P. A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. (D) 4*P*

MENSE S. & MEYER H. Bradykinin-induced modulation of the response behaviour of different types of feline group III and IV muscle receptors. 49

METZGER Joseph M. & Moss Richard L. Thin filament regulation of shortening velocity in rat skinned skeletal muscle: effects of osmotic compression. 165

MEYER H. *see* MENSE S. & MEYER H. Bradykinin-induced modulation of the response behaviour of different types of feline group III and IV muscle receptors. 49

MIFFLIN S.W. *see* IZZO P.N., LIN R.J., MIFFLIN S.W., SPYER K.M. & W.-WRAY D.J. Functional topography and axonal morphology of hypoglossal motoneurones in the cat. (PC) 94*P*

MILLER D.J. *see* CHRICHTON C.A., LAMONT Christine, MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, anserine and novel imidazoles in cardiac and skeletal muscle of several species by high-performance liquid chromatography. (C) 74*P*

MILLER J.A.L. *see* HOLMES O. & MILLER J.A.L. Laminar sensitivity profiles in penicillin epileptogenesis in rat visual and Sm1 cortex. (C) 39*P*

MILLET PH. *see* DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

MILLS K.R. *see* CLAUS D., MILLS K.R. & MURRAY N.M.F. The influence of vibration on the response to transcranial stimulation of relaxed and voluntarily activated human muscle. (C) 44*P*

MINOKOSHI Yasuhiko, SAITO Masayuki & SHIMAZU Takashi Sympathetic activation of lipid synthesis in brown adipose tissue in the rat. 361

MINTZ Isabelle *see* HOUNSGAARD Jørn, KIEHN Ole & MINTZ Isabelle Response properties of motoneurones in a slice preparation of the turtle spinal cord. 575

MINTZ Isabelle *see* HOUNSGAARD Jørn & MINTZ Isabelle Calcium conductance and firing properties of spinal motoneurones in the turtle. 591

MOKHA S.S. Effects of selective agonists for mu and delta opioid receptors on the responses of neurones in the superficial and deeper laminae of the trigeminal nucleus caudalis in the rat. (PC) 85*P*

MORALES A. *see* CERVERO F. & MORALES A. Heterotopic noxious heating of the skin inhibits dorsal-horn neurones in normal rats and in rats treated at birth with capsaicin. (C) 29*P*

MOREAU Evelyne *see* DUCROC R., GARZON B., GELOSO J.P., HERVATIN Florence, MILLET PH. & MOREAU Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

MORIMOTO Akio, MURAKAMI Naotoshi & SAKATA Yoshiyuki Changes in hypothalamic temperature modulate the neuronal response of the ventral thalamus to skin warming in rats. 97

MORRIS M.E. *see* KRNJEVIĆ K., LEBLOND J. & MORRIS M.E. Anoxia-evoked increases in extracellular [Ca] in isolated rat hippocampal slices. (C) 13*P*

Moss Richard L. *see* METZGER Joseph M. & Moss Richard L. Thin filament regulation of shortening velocity in rat skinned skeletal muscle: effects of osmotic compression. 165

MULKEEN D. *see* ANWYL R., LEE W.L., MULKEEN D. & ROWAN M. Effect of trains of stimuli and *N*-methyl aspartate on post-tetanic potentiation in the rat hippocampal slice. (C) 19*P*

MULLANEY I. *see* BURGESS G.M., MCNEILL M. & MULLANEY I. Some actions of bradykinin in neonatal rat sensory neurones in culture are mediated by protein kinase C. (C) 17*P*

MULLIGAN I.P. *see* ASHLEY C.C., BARSOTTI R.J., FERENCZI M.A., LEA T.J. & MULLIGAN I.P. Simultaneous photolysis of 'caged'-ATP and 'caged'-calcium in permeabilized single muscle fibres from the frog. (C) 71*P*

MURAKAMI Naotoshi *see* MORIMOTO Akio, MURAKAMI Naotoshi & SAKATA Yoshiyuki Changes in hypothalamic temperature modulate the neuronal response of the ventral thalamus to skin warming in rats. 97

MURRAY N.M.F. *see* CLAUS D., MILLS K.R. & MURRAY N.M.F. The influence of vibration on the response to transcranial stimulation of relaxed and voluntarily activated human muscle. (C) 44*P*

NEWBOLD C.I. *see* ELFORD B.C., ELLORY J.C. & NEWBOLD C.I. Independent mechanisms for L-glutamine influx in normal and malaria-infected human erythrocytes. (C) 67*P*

NEWLAND C.F. *see* CULL-CANDY S.G., MATHIE A. & NEWLAND C.F. Influence of picrotoxin on ion channels activated by $\gamma$-aminobutyric acid in dissociated sympathetic neurones of the rat. (PC) 89*P*

NICHOLLS C.G. *see* EISNER D.A., NICHOLLS C.G., O'NEILL S.C., SMITH G.L. & VALDEOLMILLOS M. The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. (C) 48*P*

NICOLL R.A. *see* KAUER J.A., MALENKA R.C. & NICOLL R.A. NMDA ionophoresis or synaptic stimulation causes potentiation of synaptic transmission when paired with postsynaptic depolarization in hippocampal pyramidal cells of the rat. (C) 23*P*

NICOLL R.A. *see* MADISON D.V. & NICOLL R.A. Enkephalin hyperpolarizes interneurones in the rat hippocampus. 123

NIKOLARAKIS K.E. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Temporal changes in the *in vitro* and *in vivo* release of opioid peptides and gonadotropin releasing hormone (GnRH) from the hypothalamus in response to a corticotropin releasing hormone (CRH) receptor antagonist in male Wistar rats. (C) 77*P*

NOBLE M.I.M. *see* BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 49*P*

NOBLE R. & SHORT A.D. Spatial spread of late inhibitory input to spinocervical tract cells in the chloralose-anaesthetized cat. (C) 30*P*

NUNEZ D.J. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted image analysis of *in situ* hybridization (ISH). (C) 75*P*

NUNEZ D.J. *see* BROWN M.J., DAVENPORT A.P., EMSON P.C., HALL M.D. & NUNEZ D.J. Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. (C) 76*P*

OBIKA L.F.O. *see* LAYCOCK J.F., LIGHTMAN S.L. & OBIKA L.F.O. Dose-related cardiovascular effects of intravenously injected vasopressin in the anaesthetized Brattleboro rat. (PC) 91*P*

O'DOWD J.J. *see* CHRICHTON C.A., LAMONT Christine, MILLER D.J. & O'DOWD J.J. Detection and estimation of carnosine, anserine and novel imidazoles in cardiac and skeletal muscle of several species by high-performance liquid chromatography. (C) 74*P*

OGSTON D. *see* MACDONALD A.G., OGSTON D. & PICKLES D.M. Secretion of ATP by human platelets is inhibited by 50 atmospheres pressure. (C) 60*P*

O'NEILL S.C. *see* EISNER D.A., NICHOLLS C.G., O'NEILL S.C., SMITH G.L. & VALDEOLMILLOS M. The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. (C) 48*P*

O'NEILL T.P. *see* BENNETT T., GARDINER S.M. & O'NEILL T.P. Treatment of adult Wistar rats with synthetic capsaicin reversibly inhibits vasopressin-mediated recovery of blood pressure following acute hypotension. (C) 58*P*

PARNAS H. *see* MATZNER H., PARNAS H. & PARNAS I. Presynaptic effects of *d*-tubocurarine on neurotransmitter release at the neuromuscular junction of the frog. 109

PARNAS I. *see* MATZNER H., PARNAS H. & PARNAS I. Presynaptic effects of *d*-tubocurarine on neurotransmitter release at the neuromuscular junction of the frog. 109

PATERSON Anna T. *see* DYBALL R.E.J., FORSLING Mary L., PATERSON Anna T. & PEYSNER K. Rapid daily turnover of vasopressin in the neurohypophysis of mice and rats. (PC) 90*P*

PATON W.D.M. 'Let's get an effect': a Hampstead film. (D) 6*P*

PATRINI C. *see* CASIROLA D., FERRARI G., GASTALDI G., PATRINI C. & RINDI G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

PATTERSON J.A. *see* FISHER E.J. & PATTERSON J.A. Photoreceptor sizes in the retina of the squid, *Alloteuthis subulata*. (*PC*) 97*P*

PEARSON M.J. *see* DRINKHILL M.J., HICKS M.N., MARY D.A.S.G. & PEARSON M.J. The effect of stimulation of the atrial receptors on plasma renin activity in the dog. 411

PEART W.S. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

PELLET Jean *see* BOWSHER David, DAVID Jean-Marc & PELLET Jean Naloxone reverses reticular habituation to high-intensity somatic and acoustic stimuli in the rat. (C) 26*P*

PETERFY C., TENENHOUSE A. & YU E. Vitamin D and parotid gland function in the rat. 1

PETTE D. *see* GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

PEYSNER K. *see* DYBALL R.E.J., FORSLING Mary L., PATERSON Anna T. & PEYSNER K. Rapid daily turnover of vasopressin in the neurohypophysis of mice and rats. (PC) 90*P*

PICKLES D.M. *see* MACDONALD A.G., OGSTON D. & PICKLES D.M. Secretion of ATP by human platelets is inhibited by 50 atmospheres pressure. (C) 60*P*

PILOT M.A. *see* BARNETT T.G., MEEKS D.R., PILOT M.A., THOMPSON H.H. & ZARA G.P. A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. (D) 4*P*

PIZARRO Gonzalo *see* BRUM Gustavo, FITTS Robert, PIZARRO Gonzalo & RÍOS Eduardo Voltage sensors of the frog skeletal muscle membrane require calcium to function in excitation–contraction coupling. 475

RAJAGOPALAN B. *see* BOLAS N.M., GARDINER R.M., IVES N.K. & RAJAGOPALAN B. Bilirubin neurotoxicity in the rat following hyperosmolar opening of the blood–brain barrier studied *in vivo* using $^{31}P$ magnetic-resonance spectroscopy. (C) 65*P*

RANG H.P. *see* LINDSAY R.M. & RANG H.P. Activation of protein kinase C causes inward current in a proportion of rat sensory neurones in culture. (C) 16*P*

RAPOPORT S. *see* KADOR P., LIGHTMAN S., RAPOPORT S. & RECHTHAND E. Aldose reductase inhibitors prevent breakdown of the blood–retinal barrier in galactosaemic rats. (C) 64*P*

RAWLINGS S.R. *see* MASON W.T. & RAWLINGS S.R. Whole cell recordings from cultured somatotrophs of the bovine adenohypophysis. (C) 78*P*

RECHTHAND E. *see* KADOR P., LIGHTMAN S., RAPOPORT S. & RECHTHAND E. Aldose reductase inhibitors prevent breakdown of the blood–retinal barrier in galactosaemic rats. (C) 64*P*

REYMANN K. *see* ANDERSEN P., HVALBY Ø. & REYMANN K. Postsynaptic mechanisms contribute to the synaptic potentiation induced by phorbol esters in rat hippocampus pyramidal cells *in vitro*. (*C*) 24*P*

RINDI G. *see* CASIROLA D., FERRARI G., GASTALDI G., PATRINI C. & RINDI G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

RÍOS E. *see* BRUM G., RÍOS E. & STÉFANI E. Effects of extracellular calcium on calcium movements of excitation–contraction coupling in frog skeletal muscle fibres. 441

RÍOS Eduardo *see* BRUM Gustavo, FITTS Robert, PIZARRO Gonzalo & RÍOS Eduardo Voltage sensors of the frog skeletal muscle membrane require calcium to function in excitation–contraction coupling. 475

RITTER J.M. *see* BARROW S.E., COCKCROFT J.R., RITTER J.M. & SALVIDGE T.T. Effects of aspirin and salicylate on bradykinin-stimulated prostaglandin production in man. (C) 83*P*

ROBINSON I.C.A.F. *see* CHAMBERS G., CLARK R.G., LEWIN J. & ROBINSON I.C.A.F. Automatic repetitive microsampling of blood from conscious freely moving rats. (D) 8*P*

ROBINSON I.C.A.F. *see* COOMBES J.E., ROBINSON I.C.A.F. & RUSSELL J.A. Release of oxytocin (OXT) into both cerebrospinal fluid (CSF) and blood by naloxone in anaesthetized morphine-dependent rats. (C) 79*P*

ROBINSON I.C.A.F. *see* CLARK R.G., ROBINSON I.C.A.F. & SKOTTNER A. Growth responses to recombinant human insulin-like growth-factor 1 (IGF-1) and human growth hormone (hGH) in a mutant dwarf rat. (C) 80*P*

ROBINSON P.H., SHIM J.I. & STEPHENSON J.D. Delayed gastric emptying in rats caused by dietary restriction. (C) 62*P*

ROGERS D.F. *see* AURSUDKIJ B., BARNES P.J., BELVISI M.G., DIJK S., EVANS T.W. & ROGERS D.F. Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. (C) 51*P*

ROISIN M.P. *see* ANIKSZTEJN L., BEN-ARI Y. & ROISIN M.P. Release of endogenous excitatory amino acids and long-term potentiation of synaptic transmission in the hippocampus of the anaesthetized rat. (C) 21*P*

ROVIRA C. *see* BEN-ARI Y., GHO M. & ROVIRA C. Kainic acid reduces both the baclofen induced outward current and the late inhibitory postsynaptic current in rat hippocampal CA3 neurones *in vitro*. (*C*) 20*P*

ROWAN M. *see* ANWYL R., LEE W.L., MULKEEN D. & ROWAN M. Effect of trains of stimuli and *N*-methyl aspartate on post-tetanic potentiation in the rat hippocampal slice. (C) 19*P*

RUDELL A. *see* AMASSIAN V.E., CRACCO J.B., CRACCO R.Q., EBERLE L., MACCABEE P.J. & RUDELL A. Suppression of human visual perception with the magnetic coil over occipital cortex. (C) 40*P*

RÜEGG J.C. *see* BIALOJAN Corinna, RÜEGG J.C. & TAKAI A. Effects of okadaic acid on isometric tension and myosin phosphorylation of chemically skinned guinea-pig taenia coli. 81

RUSSELL J.A. *see* COOMBES J.E., ROBINSON I.C.A.F. & RUSSELL J.A. Release of oxytocin (OXT) into both cerebrospinal fluid (CSF) and blood by naloxone in anaesthetized morphine-dependent rats. (C) 79*P*

RUTHERFORD A. *see* ARBUTHNOTT G.W., GARCIA-MUNOZ M. & RUTHERFORD A. *In vitro* study of the effect of dopamine administration on an after-hyperpolarization recorded in rat striatal cells. (PC) 86*P*

SAITO Masayuki *see* MINOKOSHI Yasuhiko, SAITO Masayuki & SHIMAZU Takashi Sympathetic activation of lipid synthesis in brown adipose tissue in the rat. 361

SAKATA Yoshiyuki *see* MORIMOTO Akio, MURAKAMI Naotoshi & SAKATA Yoshiyuki Changes in hypothalamic temperature modulate the neuronal response of the ventral thalamus to skin warming in rats. 97

SALONEN R.O., WEBBER S.E. & WIDDICOMBE J.G. Effects of air temperature and humidity on the canine tracheal vasculature and smooth muscle. (C) 52*P*

SALVIDGE T.T. *see* BARROW S.E., COCKCROFT J.R., RITTER J.M. & SALVIDGE T.T. Effects of aspirin and salicylate on bradykinin-stimulated prostaglandin production in man. (C) 83*P*

SCOTT Robert J. *see* MACKNIGHT Anthony D.C., MCLAUGHLIN Charles W. & SCOTT Robert J. Sodium–hydrogen ion exchange in rabbit renal cortical slices incubated in acetate media. 523

SEED W.A. *see* BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 49*P*

SERIO R. *see* DANIEL E.E. & SERIO R. Evidence for a thromboxane modulation of the isolated canine trachealis smooth-muscle function. (C) 46*P*

SEVER P. *see* MARTIN G., SEVER P. & THOM S. Effect of adenosine-5′-triphosphate (ATP) on isolated human arterioles. (C) 50*P*

SHIM J.I. *see* ROBINSON P.H., SHIM J.I. & STEPHENSON J.D. Delayed gastric emptying in rats caused by dietary restriction. (C) 62*P*

SHIMAZU Takashi *see* MINOKOSHI Yasuhiko, SAITO Masayuki & SHIMAZU Takashi Sympathetic activation of lipid synthesis in brown adipose tissue in the rat. 361

SHORT A.D. *see* NOBLE R. & SHORT A.D. Spatial spread of late inhibitory input to spinocervical tract cells in the chloralose-anaesthetized cat. (C) 30*P*

SHORT A.D. *see* BROWN A.G., MAXWELL D.J. & SHORT A.D. Responses of neurones in the lateral cervical nucleus of chloralose-anaesthetized cats. (C) 31*P*

SHORTLAND Peter *see* FITZGERALD Maria, SHORTLAND Peter & WOOLF Clifford J. The somatotopic arrangement of single hair follicle afferent terminals in the dorsal horn of the rat lumbar spinal cord. (C) 32*P*

SINGH J. *see* HUSSAIN M. & SINGH J. Control of protein secretion by non-cholinergic, non-adrenergic nerves in isolated rat lacrimal glands. (PC) 88*P*

SIRINATHSINGHJI D.J.S. *see* BERESFORD I.J.M., DAVENPORT A.P., HALL M.D., HILL R.G., HUGHES J. & SIRINATHSINGHJI D.J.S. $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. (C) 27*P*

SIRINATHSINGHJI D.J.S. *see* ALMEIDA O.F.X., HERZ A., NIKOLARAKIS K.E. & SIRINATHSINGHJI D.J.S. Temporal changes in the *in vitro* and *in vivo* release of opioid peptides and gonadotropin releasing hormone (GnRH) from the hypothalamus in response to a corticotropin releasing hormone (CRH) receptor antagonist in male Wistar rats. (C) 77*P*

SKOTTNER A. *see* CLARK R.G., ROBINSON I.C.A.F. & SKOTTNER A. Growth responses to recombinant human insulin-like growth-factor 1 (IGF-1) and human growth hormone (hGH) in a mutant dwarf rat. (C) 80*P*

SMAJE L.H. *see* GAMBLE J., SMAJE L.H. & SPENCER P.D. Filtration coefficient and osmotic reflection coefficient to albumin in rabbit submandibular gland capillaries. 15

SMITH G.L. *see* ALLEN D.G., ELLIOTT A.C. & SMITH G.L. The isolated Langendorff-perfused ferret heart adapted for simultaneous NMR spectroscopy and action potential recording. (D) 3*P*

SMITH G.L. *see* EISNER D.A., NICHOLLS C.G., O'NEILL S.C., SMITH G.L. & VALDEOLMILLOS M. The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. (C) 48*P*

SMITH Thomas W. *see* KIM Donghee & SMITH Thomas W. Cellular mechanisms underlying calcium–proton interactions in cultured chick ventricular cells. 391

SOLARO R.J. *see* ALLEN D.G., KENTISH J.C., LEE J.A. & SOLARO R.J. The effects of acidosis on $Ca^{2+}$ transients and tension in isolated neonatal rat ventricular muscle. (C) 47*P*

SOZI C. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

SPENCER C.I. Titration of the force-generating sites in chemically skinned psoas muscle fibres of the rabbit using the laser-flash photolysis of caged ATP. (PC) 100*P*

SPENCER P.D. *see* GAMBLE J., SMAJE L.H. & SPENCER P.D. Filtration coefficient and osmotic reflection coefficient to albumin in rabbit submandibular gland capillaries. 15

SPYER K.M. *see* DASHWOOD M.R. & SPYER K.M. Denervation-induced mu opiate receptor changes in the cat nucleus of the tractus solitarius: an autoradiographic study. (PC) 84*P*

SPYER K.M. *see* IZZO P.N., LIN R.J., MIFFLIN S.W., SPYER K.M. & W.-WRAY D.J. Functional topography and axonal morphology of hypoglossal motoneurones in the cat. (PC) 94*P*

STAFFORD K.J. *see* LEEK B.F. & STAFFORD K.J. Chronic catheterization of the coeliac and left gastric arteries in sheep. (D) 2*P*

STAFFORD K.J. *see* LEEK B.F. & STAFFORD K.J. The effect of repeated injections of adrenaline upon the duration and pattern of rumination in sheep. (C) 61*P*

STARON R.S. *see* GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

STÉFANI E. *see* BRUM G., RÍOS E. & STÉFANI E. Effects of extracellular calcium on calcium movements of excitation–contraction coupling in frog skeletal muscle fibres. 441

STEPHENS J.A. *see* EVANS A.L., HARRISON Linda M. & STEPHENS J.A. Task-dependent changes in the cutaneomuscular reflex response in various muscles of the human upper limb. (C) 43*P*

STEPHENSON J.D. *see* ROBINSON P.H., SHIM J.I. & STEPHENSON J.D. Delayed gastric emptying in rats caused by dietary restriction. (C) 62*P*

STIENEN G.J.M. *see* FERENCZI M.A. & STIENEN G.J.M. Force relaxation in skinned fast fibres of the iliofibularis muscle of *Xenopus laevis* by photolysis of caged ATP. (C) 73*P*

SUTTERS M. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

TAKAI A. *see* BIALOJAN Corinna, RÜEGG J.C. & TAKAI A. Effects of okadaic acid on isometric tension and myosin phosphorylation of chemically skinned guinea-pig taenia coli. 81

TANSEY E.M. Physiologists and the first NIMR. (C) 69*P*

TAYLOR A. *see* DONGA R., GOTTLIEB S., JUCH P.J.W. & TAYLOR A. Use of mid-brain stimulation to identify jaw muscle fusimotoneurones in reflex movements in anaesthetized cats. (C) 33*P*

TEILLAC A. *see* BERTHOLON J.F., CARLES J., EUGENE M., LABEYRIE E. & TEILLAC A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

TENENHOUSE A. *see* PETERFY C., TENENHOUSE A. & YU E. Vitamin D and parotid gland function in the rat. 1

THOM S. *see* MARTIN G., SEVER P. & THOM S. Effect of adenosine-5′-triphosphate (ATP) on isolated human arterioles. (C) 50*P*

THOMAS R.C. *see* COLES J.A., GIOVANNINI P. & THOMAS R.C. Changes in extracellular pH induced by light stimulation in slices of honeybee drone retina. (C) 59*P*

THOMAS R.C. Changes in the surface pH of voltage-clamped snail neurones apparently caused by $H^+$ fluxes through a channel. 313

THOMPSON H.H. *see* BARNETT T.G., MEEKS D.R., PILOT M.A., THOMPSON H.H. & ZARA G.P. A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. (D) 4*P*

THOMPSON Wesley J. *see* BALICE-GORDON Rita J. & THOMPSON Wesley J. Synaptic rearrangements and alterations in motor unit properties in neonatal rat extensor digitorum longus muscle. 191

THOMPSON Wesley J. *see* BALICE-GORDON Rita J. & THOMPSON Wesley J. The organization and development of compartmentalized innervation in rat extensor digitorum longus muscle. 211

TRENTHAM D.R. *see* CHILLINGWORTH R.K., FERENCZI M.A. & TRENTHAM D.R. Laser-flash photolysis of caged-compounds in permeabilized muscle fibres of the frog and rabbit. (D) 5*P*

TSIEN R.W. *see* MADISON D.V., MALINOW R. & TSIEN R.W. Inhibitors of protein kinase C block long-term potentiation in rat hippocampal slices. (C) 18*P*

UNWIN R.J. *see* CARMICHAEL D., HUNTER M., LIGHTMAN S.L., SOZI C., PEART W.S., SUTTERS M. & UNWIN R.J. Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. (C) 81*P*

VALASCO J.M. Calcium channels in rat insulin-secreting RINm5F cell line. (C) 15*P*

VALDEOLMILLOS M. *see* EISNER D.A., NICHOLLS C.G., O'NEILL S.C., SMITH G.L. & VALDEOLMILLOS M. The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. (C) 48*P*

VALLETTE D.P. *see* GOLDMAN Y.E., MCCRAY J.A. & VALLETTE D.P. Cross-bridges in rigor fibres of rabbit psoas muscle support negative forces. (C) 72*P*

VAN DRIESSCHE Willy *see* AELVOET Isabelle, ERLIJ David & VAN DRIESSCHE Willy Activation and blockage of a calcium-sensitive cation-selective pathway in the apical membrane of toad urinary bladder. 555

VAUGHAN-JONES R.D. *see* BOUNTRA C., KAILA K. & VAUGHAN-JONES R.D. Effect of repetitive activity upon intracellular pH, sodium and contraction in sheep cardiac Purkinje fibres. 341

WAHLESTEDT C. *see* COX H.M., CUTHBERT A.W., HÅKANSON R. & WAHLESTEDT C. The effect of neuropeptide Y and peptide YY on electrogenic ion transport in rat intestinal epithelia. 65

WANN K.T. & WARDLEY-SMITH Bridget The actions of non-competitive NMDA receptor antagonists on the high-pressure neurological syndrome in the rat. (C) 25*P*

WARDLEY-SMITH Bridget *see* WANN K.T. & WARDLEY-SMITH Bridget The actions of non-competitive NMDA receptor antagonists on the high-pressure neurological syndrome in the rat. (C) 25*P*

WEBB M.R. *see* BOWATER R., FERENCZI M.A. & WEBB M.R. ATP release from the active site in rabbit psoas muscle fibres. (C) 70*P*

WEBBER S.E. *see* SALONEN R.O., WEBBER S.E. & WIDDICOMBE J.G. Effects of air temperature and humidity on the canine tracheal vasculature and smooth muscle. (C) 52*P*

WHITEHEAD C.J. *see* MATHIAS C.J., MAY C.N. & WHITEHEAD C.J. Intracerebroventricular, but not intracisternal, administration of the mu opioid agonist (D-$Ala^2$-, $MePhe^4$-, $Gly^5$-ol)enkephalin causes hypertension and hyperglycaemia in conscious rabbits. (C) 53*P*

WHITTLE B.J.R. *see* ESPLUGUES J.V. & WHITTLE B.J.R. Mechanisms underlying Paf-induced rat gastric motility *in vivo*. (*PC*) 99*P*

WIDDICOMBE J.G. *see* SALONEN R.O., WEBBER S.E. & WIDDICOMBE J.G. Effects of air temperature and humidity on the canine tracheal vasculature and smooth muscle. (C) 52*P*

WILLIAMS C.A. The effects of lesions of the periaqueductal grey and the ventrolateral medulla on the pressor response during fatiguing muscular contractions in the cat. (C) 54*P*

WILSON S.M. *see* HOUSTON J.E. & WILSON S.M. $Ca^{2+}$-dependent efflux of $^{86}Rb^+$ from the rat submandibular gland *in vitro*. (*C*)

WOHLFART B. *see* BUTROUS G., CAMM A.J., DRAKE-HOLLAND A.J., NOBLE M.I.M., SEED W.A. & WOHLFART B. Lack of relation between human cardiac action potential duration and simultaneous contractility. (C) 66*P* 49*P*

WOOLF Clifford J. *see* FITZGERALD Maria, SHORTLAND Peter & WOOLF Clifford J. The somatotopic arrangement of single hair follicle afferent terminals in the dorsal horn of the rat lumbar spinal cord. (C) 32*P*

W.-WRAY D.J. *see* IZZO P.N., LIN R.J., MIFFLIN S.W., SPYER K.M. & W.-WRAY D.J. Functional topography and axonal morphology of hypoglossal motoneurones in the cat. (PC) 94*P*

YOSHIDA S. *see* GEORGIOU, P., HOUSE C.R., MCNIVEN A.I. & YOSHIDA S. A delayed transient hyperpolarization induced by calcium influx in unfertilized golden hamster eggs. (C) 11*P*

YU E. *see* PETERFY C., TENENHOUSE A. & YU E. Vitamin D and parotid gland function in the rat. 1

ZARA G.P. *see* BARNETT T.G., MEEKS D.R., PILOT M.A., THOMPSON H.H. & ZARA G.P. A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. (D) 4*P*

# CONTENTS OF VOLUME 398

*April* 1988

PETERFY C., TENENHOUSE A. & YU E. Vitamin D and parotid gland function in the rat. 1

GAMBLE J., SMAJE L.H. & SPENCER P.D. Filtration coefficient and osmotic reflection coefficient to albumin in rabbit submandibular gland capillaries. 15

DOCHERTY R.J. Gadolinium selectively blocks a component of calcium current in rodent neuroblastoma × glioma hybrid (NG108-15) cells. 33

MENSE S. & MEYER H. Bradykinin-induced modulation of the response behaviour of different types of feline group III and IV muscle receptors. 49

COX H.M., CUTHBERT A.W., HÅKANSON R. & WAHLESTEDT C. The effect of neuropeptide Y and peptide YY on electrogenic ion transport in rat intestinal epithelia. 65

BIALOJAN Corinna, RÜEGG J.C. & TAKAI A. Effects of okadaic acid on isometric tension and myosin phosphorylation of chemically skinned guinea-pig taenia coli. 81

MORIMOTO Akio, MURAKAMI Naotoshi & SAKATA Yoshiyuki Changes in hypothalamic temperature modulate the neuronal response of the ventral thalamus to skin warming in rats. 97

MATZNER H., PARNAS H. & PARNAS I. Presynaptic effects of *d*-tubocurarine on neurotransmitter release at the neuromuscular junction of the frog. 109

MADISON D.V. & NICOLL R.A. Enkephalin hyperpolarizes interneurones in the rat hippocampus. 123

HORIUTI K. Mechanism of contracture on cooling of caffeine-treated frog skeletal muscle fibres. 131

AUGUSTINE George J., CHARLTON Milton P. & HORN Richard Role of calcium-activated potassium channels in transmitter release at the squid giant synapse. 149

METZGER Joseph M. & Moss Richard L. Thin filament regulation of shortening velocity in rat skinned skeletal muscle: effects of osmotic compression. 165

GUNDERSEN K., LEBERER E, LØMO T., PETTE D. & STARON R.S. Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat. 177

BALICE-GORDON Rita J. & THOMPSON Wesley J. Synaptic rearrangements and alterations in motor unit properties in neonatal rat extensor digitorum longus muscle. 191

BALICE-GORDON Rita J. & THOMPSON Wesley J. The organization and development of compartmentalized innervation in rat extensor digitorum longus muscle. 211

AOYAMA M., HONGO T. & KUDO N. Sensory input to cells of origin of uncrossed spinocerebellar tract located below Clarke's column in the cat. 233

DAUT J. & ELZINGA G. Heat production of quiescent ventricular trabeculae isolated from guinea-pig heart. 259

Bény Jean-Louis & Brunet Pascale Claude Electrophysiological and mechanical effects of substance P and acetylcholine on rabbit aorta. 277

Chesnoy-Marchais Dominique & Fritsch Janine Voltage-gated sodium and calcium currents in rat osteoblasts. 291

Thomas R.C. Changes in the surface pH of voltage-clamped snail neurones apparently caused by $H^+$ fluxes through a channel. 313

Casirola D., Ferrari G., Gastaldi G., Patrini C. & Rindi G. Transport of thiamine by brush-border membrane vesicles from rat small intestine. 329

Bountra C., Kaila K. & Vaughan-Jones R.D. Effect of repetitive activity upon intracellular pH, sodium and contraction in sheep cardiac Purkinje fibres. 341

Minokoshi Yasuhiko, Saito Masayuki & Shimazu Takashi Sympathetic activation of lipid synthesis in brown adipose tissue in the rat. 361

Bornstein J.C., Costa M. & Furness J.B. Intrinsic and extrinsic inhibitory synaptic inputs to submucous neurones of the guinea-pig small intestine. 371

Kim Donghee & Smith Thomas W. Cellular mechanisms underlying calcium–proton interactions in cultured chick ventricular cells. 391

Drinkhill M.J., Hicks M.N., Mary D.A.S.G. & Pearson M.J. The effect of stimulation of the atrial receptors on plasma renin activity in the dog. 411

Bertholon J.F., Carles J., Eugene M., Labeyrie E. & Teillac A. A dynamic analysis of the ventilatory response to carbon dioxide inhalation in man. 423

Brum G., Ríos E. & Stéfani E. Effects of extracellular calcium on calcium movements of excitation–contraction coupling in frog skeletal muscle fibres. 441

Brum Gustavo, Fitts Robert, Pizarro Gonzalo & Ríos Eduardo Voltage sensors of the frog skeletal muscle membrane require calcium to function in excitation–contraction coupling. 475

Bassnett S. & Duncan G. The influence of pH on membrane conductance and intercellular resistance in the rat lens. 507

Macknight Anthony D.C., McLaughlin Charles W. & Scott Robert J. Sodium–hydrogen ion exchange in rabbit renal cortical slices incubated in acetate media. 523

Ducroc R., Garzon B., Geloso J.P., Hervatin Florence, Millet Ph. & Moreau Evelyne Development of sodium and chloride transport across fetal and newborn rat stomach *in vitro*. 543

Aelvoet Isabelle, Erlij David & van Driessche Willy Activation and blockage of a calcium-sensitive cation-selective pathway in the apical membrane of toad urinary bladder. 555

Hounsgaard Jørn, Kiehn Ole & Mintz Isabelle Response properties of motoneurones in a slice preparation of the turtle spinal cord. 575

Hounsgaard Jørn & Mintz Isabelle Calcium conductance and firing properties of spinal motoneurones in the turtle. 591

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

6–7 *November* 1988

*Mill Hill Meeting*

DEMONSTRATIONS

*Leek B.F. & Stafford K.J.* Chronic catheterization of the coeliac and left gastric arteries in sheep. 2*P*

*Allen D.G., Elliott A.C. & Smith G.L.* The isolated Langendorff-perfused ferret heart adapted for simultaneous NMR spectroscopy and action potential recording. 3*P*

*Barnett T.G., Meeks D.R., Pilot M.A., Thompson H.H. & Zara G.P.* A solid-state data logger for prolonged studies of human and canine gastrointestinal motility. 4*P*

*Chillingworth R.K., Ferenczi M.A. & Trentham D.R.* Laser-flash photolysis of caged-compounds in permeabilized muscle fibres of the frog and rabbit. 5*P*

*Paton W.D.M.* 'Let's get an effect': a Hampstead film. 6*P*

*Anson M., Antoniades Christina, Chung S.H., Dhanjal S.S., Hammond B.J., Keating M.J., King M.C. & Knott Christine* A method of extracting neuronal activity from background noise using digital signal processing. 7*P*

*Chambers G., Clark R.G., Lewin J. & Robinson I.C.A.F.* Automatic repetitive microsampling of blood from conscious freely moving rats. 8*P*

COMMUNICATIONS

*Croghan P.C., Duncan G. & Emptage N.J.* Aspirin prevents recovery of $CO_2$-induced change of internal resistance in the isolated lens of the frog *Rana pipiens* 9*P*

*Clunn G.F., Lea E.J.A. & Lucas V.A.* Bovine lens fibre membrane proteins reconstituted in lipid bilayer membranes. 10*P*

*Georgiou, P., House C.R., McNiven A.I. & Yoshida S.* A delayed transient hyperpolarization induced by calcium influx in unfertilized golden hamster eggs. 11*P*

*Dryer S.E., Fujii Joanne & Martin A.R.* A sodium-activated potassium current in cultured brain-stem neurones 12*P*

*Krnjević K., Leblond J. & Morris M.E.* Anoxia-evoked increases in extracellular [Ca] in isolated rat hippocampal slices. 13*P*

*Hales T.G. & Lambert J.J.* The actions of chlormethiazole on the $GABA_A$ receptor of bovine chromaffin cells in culture. 14*P*

*Valasco J.M.* Calcium channels in rat insulin-secreting RINm5F cell line.

*Lindsay R.M. & Rang H.P.* Activation of protein kinase C causes inward current in a proportion of rat sensory neurones in culture. 15*P* 16*P*

*Burgess G.M., McNeill M. & Mullaney I.* Some actions of bradykinin in neonatal rat sensory neurones in culture are mediated by protein kinase C. 17*P*

*Madison D.V., Malinow R. & Tsien R.W.* Inhibitors of protein kinase C block long-term potentiation in rat hippocampal slices. 18*P*

*Anwyl R., Lee W.L., Mulkeen D. & Rowan M.* Effect of trains of stimuli and *N*-methyl aspartate on post-tetanic potentiation in the rat hippocampal slice. 19*P*

*Ben-Ari Y., Gho M. & Rovira C.* Kainic acid reduces both the baclofen induced outward current and the late inhibitory postsynaptic current in rat hippocampal CA3 neurones *in vitro*. 20*P*

*Aniksztejn L., Ben-Ari Y. & Roisin M.P.* Release of endogenous excitatory amino acids and long-term potentiation of synaptic transmission in the hippocampus of the anaesthetized rat. 21*P*

*Collingridge G.L. & Lester R.A.J.* The sensitivity of CA1 neurones to quisqualate following high-frequency stimulation in rat hippocampus *in vitro*. 22*P*

*Kauer J.A., Malenka R.C. & Nicoll R.A.* NMDA ionophoresis or synaptic stimulation causes potentiation of synaptic transmission when paired with postsynaptic depolarization in hippocampal pyramidal cells of the rat. 23*P*

*Andersen P., Hvalby Ø. & Reymann K.* Postsynaptic mechanisms contribute to the synaptic potentiation induced by phorbol esters in rat hippocampus pyramidal cells *in vitro*. 24*P*

*Wann K.T. & Wardley-Smith Bridget* The actions of non-competitive NMDA receptor antagonists on the high-pressure neurological syndrome in the rat. 25*P*

*Bowsher David, David Jean-Marc & Pellet Jean* Naloxone reverses reticular habituation to high-intensity somatic and acoustic stimuli in the rat. 26*P*

*Beresford I.J.M., Davenport A.P., Hall M.D., Hill R.G., Hughes J. & Sirinathsinghji D.J.S.* $MPP^+$ dopaminergic lesions provide further evidence in the rat that CCK receptors are located on intrinsic striatal neurones. 27*P*

*Bevan S. & Forbes C.A.* Membrane effects of capsaicin on rat dorsal root ganglion neurones in cell culture. 28*P*

*Cervero F. & Morales A.* Heterotopic noxious heating of the skin inhibits dorsal-horn neurones in normal rats and in rats treated at birth with capsaicin. 29*P*

*Noble R. & Short A.D.* Spatial spread of late inhibitory input to spinocervical tract cells in the chloralose-anaesthetized cat. 30*P*

*Brown A.G., Maxwell D.J. & Short A.D.* Responses of neurones in the lateral cervical nucleus of chloralose-anaesthetized cats. 31*P*

*Fitzgerald Maria, Shortland Peter & Woolf Clifford J.* The somatotopic arrangement of single hair follicle afferent terminals in the dorsal horn of the rat lumbar spinal cord. 32*P*

*Donga R., Gottlieb S., Juch P.J.W. & Taylor A.* Use of mid-brain stimulation to identify jaw muscle fusimotoneurones in reflex movements in anaesthetized cats. 33*P*

*Dawes E.A., Grant S. & Keating M.J.* The 'critical period' for intertectal plasticity in the frog, *Xenopus laevis*: its prolongation by dark-rearing. 34*P*

*Donaldson I.M.L. & Knox P.C.* Units in pigeon brainstem whose vestibular responses are modulated by passive eye-movement. 35*P*

*Flitcroft D.I. & Judge S.J.* The effect of stimulus chromaticity on ocular accommodation in the monkey. 36*P*

*Berland M., Bullier J., Dehay C. & Kennedy H.* Prenatal development of callosal connections of the visual cortex in the macaque. 37*P*

*Bashir Z.I. & Holmes O.* *N*-methyl D-aspartate (NMDA) and GABAergic interactions in the rat cerebral cortex. 38*P*

*Holmes O. & Miller J.A.L.* Laminar sensitivity profiles in penicillin epileptogenesis in rat visual and Sm1 cortex. 39*P*

*Amassian V.E., Cracco J.B., Cracco R.Q., Eberle L., Maccabee P.J. & Rudell A.* Suppression of human visual perception with the magnetic coil over occipital cortex. 40*P*

*Amassian V.E., Anziska B.J., Cracco J.B., Cracco R.Q. & Maccabee P.J.* Focal magnetic coil excitation of frontal cortex activates laryngeal muscles in man. 41*P*

*Harrison P.J.* Automatic gain control of cutaneous reflexes elicited by electrical stimulation of the index finger in man. 42*P*

*Evans A.L., Harrison Linda M. & Stephens J.A.* Task-dependent changes in the cutaneomuscular reflex response in various muscles of the human upper limb. 43*P*

*Claus D., Mills K.R. & Murray N.M.F.* The influence of vibration on the response to transcranial stimulation of relaxed and voluntarily activated human muscle. 44*P*

*Low J.C.* 'B-wave gain' of the mouse electroretinogram varies with light intensity. 45*P*

*Daniel E.E. & Serio R.* Evidence for a thromboxane modulation of the isolated canine trachealis smooth-muscle function. 46*P*

*Allen D.G., Kentish J.C., Lee J.A. & Solaro R.J.* The effects of acidosis on $Ca^{2+}$ transients and tension in isolated neonatal rat ventricular muscle. 47*P*

*Eisner D.A., Nicholls C.G., O'Neill S.C., Smith G.L. & Valdeolmillos M.* The effects of metabolic inhibition on intracellular pH and contraction of isolated rat ventricular myocytes. 48*P*

*Butrous G., Camm A.J., Drake-Holland A.J., Noble M.I.M., Seed W.A. & Wohlfart B.* Lack of relation between human cardiac action potential duration and simultaneous contractility. 49*P*

*Martin G., Sever P. & Thom S.* Effect of adenosine-5′-triphosphate (ATP) on isolated human arterioles. 50*P*

*Aursudkij B., Barnes P.J., Belvisi M.G., Dijk S., Evans T.W. & Rogers D.F.* Effect of substance P, neurokinins and calcitonin gene-related peptide on microvascular permeability in guinea-pig airways. 51*P*

*Salonen R.O., Webber S.E. & Widdicombe J.G.* Effects of air temperature and humidity on the canine tracheal vasculature and smooth muscle. 52*P*

*Mathias C.J., May C.N. & Whitehead C.J.* Intracerebroventricular, but not intracisternal, administration of the mu opioid agonist (D-Ala$^2$-, MePhe$^4$-, Gly$^5$-ol)enkephalin causes hypertension and hyperglycaemia in conscious rabbits. 53*P*

*Williams C.A.* The effects of lesions of the periaqueductal grey and the ventrolateral medulla on the pressor response during fatiguing muscular contractions in the cat. 54*P*

*Marriott John F. & Marshall Janice M.* Is the ability of hypoxia to reduce noradrenaline-induced contractions in isolated rabbit arteries explained by inhibition of $Ca^{2+}$ influx? 55*P*

*Channer K.S. & Jones J.V.* Change with exercise in the contribution of atrial systole to diastolic blood flow across the mitral valve in man. 56*P*

*Bennett T., Compton A.M. & Gardiner S.M.* Regional haemodynamic effects of vasopressin infusion in conscious, Brattleboro rats. 57*P*

*Bennett T., Gardiner S.M. & O'Neill T.P.* Treatment of adult Wistar rats with synthetic capsaicin reversibly inhibits vasopressin-mediated recovery of blood pressure following acute hypotension. 58*P*

*Coles J.A., Giovannini P. & Thomas R.C.* Changes in extracellular pH induced by light stimulation in slices of honeybee drone retina. 59*P*

*Macdonald A.G., Ogston D. & Pickles D.M.* Secretion of ATP by human platelets is inhibited by 50 atmospheres pressure. 60*P*

*Leek B.F. & Stafford K.J.* The effect of repeated injections of adrenaline upon the duration and pattern of rumination in sheep. 61*P*

*Robinson P.H., Shim J.I. & Stephenson J.D.* Delayed gastric emptying in rats caused by dietary restriction. 62*P*

*Abbott N. Joan, Hassan S. & Lieberman E.M.* Evidence for glutamate as the mediator of axon–Schwann cell interactions in the isolated giant axon of the squid. 63*P*

*Kador P., Lightman S., Rapoport S. & Rechthand E.* Aldose reductase inhibitors prevent breakdown of the blood–retinal barrier in galactosaemic rats. 64*P*

*Bolas N.M., Gardiner R.M., Ives N.K. & Rajagopalan B.* Bilirubin neurotoxicity in the rat following hyperosmolar opening of the blood–brain barrier studied *in vivo* using $^{31}P$ magnetic-resonance spectroscopy. 65*P*

*Houston J.E. & Wilson S.M.* $Ca^{2+}$-dependent efflux of $^{86}Rb^+$ from the rat submandibular gland *in vitro*. 66*P*

*Elford B.C., Ellory J.C. & Newbold C.I.* Independent mechanisms for L-glutamine influx in normal and malaria-infected human erythrocytes. 67*P*

*Grierson I., Hitchings R.A. & Joseph J.P.* The effect of exogenous ATP on intact ocular fibroblasts of the rabbit. 68*P*

*Tansey E.M.* Physiologists and the first NIMR. 69*P*

*Bowater R., Ferenczi M.A. & Webb M.R.* ATP release from the active site in rabbit psoas muscle fibres. 70*P*

*Ashley C.C., Barsotti R.J., Ferenczi M.A., Lea T.J. & Mulligan I.P.* Simultaneous photolysis of 'caged'-ATP and 'caged'-calcium in permeabilized single muscle fibres from the frog. 71*P*

*Goldman Y.E., McCray J.A. & Vallette D.P.* Cross-bridges in rigor fibres of rabbit psoas muscle support negative forces. 72*P*

*Ferenczi M.A. & Stienen G.J.M.* Force relaxation in skinned fast fibres of the iliofibularis muscle of *Xenopus laevis* by photolysis of caged ATP. 73*P*

*Chrichton C.A., Lamont Christine, Miller D.J. & O'Dowd J.J.* Detection and estimation of carnosine, anserine and novel imidazoles in cardiac and skeletal muscle of several species by high-performance liquid chromatography. 74*P*

*Brown M.J., Davenport A.P., Emson P.C., Hall M.D. & Nunez D.J.* Measurement of atrial natriuretic peptide messenger RNA (ANP mRNA) in the neonatal rat heart by computer-assisted imago analysis of *in situ* hybridization (ISH). 75*P*

*Brown M.J., Davenport A.P., Emson P.C., Hall M.D. & Nunez D.J.* Adrenal cells express atrial natriuretic peptide mRNA (ANP mRNA): an *in situ* hybridization study. 76*P*

*Almeida O.F.X., Herz A., Nikolarakis K.E. & Sirinathsinghji D.J.S.* Temporal changes in the *in vitro* and *in vivo* release of opioid peptides and gonadotropin releasing hormone (GnRH) from the hypothalamus in response to a corticotropin releasing hormone (CRH) receptor antagonist in male Wistar rats. 77*P*

*Mason W.T. & Rawlings S.R.* Whole cell recordings from cultured somatotrophs of the bovine adenohypophysis. 78*P*

*Coombes J.E., Robinson I.C.A.F. & Russell J.A.* Release of oxytocin (OXT) into both cerebrospinal fluid (CSF) and blood by naloxone in anaesthetized morphine-dependent rats. 79*P*

*Clark R.G., Robinson I.C.A.F. & Skottner A.* Growth responses to recombinant human insulin-like growth-factor 1 (IGF-1) and human growth hormone (hGH) in a mutant dwarf rat. 80*P*

*Carmichael D., Hunter M., Lightman S.L., Sozi C., Peart W.S., Sutters M. & Unwin R.J.* Urinary arginine vasopressin excretion falls in association with a water diuresis on dietary sodium restriction in human subjects with ileostomies. 81*P*

*Bisset G.W., Chowdrey H.S., Fairhall K.M. & Gunn L.K.* Is there a cholinergic link *in vivo* mediating the osmotic release of vasopressin in the rat? 82*P*

*Barrow S.E., Cockcroft J.R., Ritter J.M. & Salvidge T.T.* Effects of aspirin and salicylate on bradykinin-stimulated prostaglandin production in man. 83*P*

## POSTER COMMUNICATIONS

*Dashwood M.R. & Spyer K.M.* Denervation-induced mu opiate receptor changes in the cat nucleus of the tractus solitarius: an autoradiographic study. 84*P*

*Mokha S.S.* Effects of selective agonists for mu and delta opioid receptors on the responses of neurones in the superficial and deeper laminae of the trigeminal nucleus caudalis in the rat. 85*P*

*Arbuthnott G.W., Garcia-Munoz M. & Rutherford A.* *In vitro* study of the effect of dopamine administration on an after-hyperpolarization recorded in rat striatal cells. 86*P*

*Dashwood M.R. & May C.N.* Central opiate and alpha$_2$-adrenergic receptors in the rabbit: distribution and cardiovascular involvement. 87*P*

*Hussain M. & Singh J.* Control of protein secretion by non-cholinergic, non-adrenergic nerves in isolated rat lacrimal glands. 88*P*

*Cull-Candy S.G., Mathie A. & Newland C.F.* Influence of picrotoxin on ion channels activated by γ-aminobutyric acid in dissociated sympathetic neurones of the rat. 89*P*

*Dyball R.E.J., Forsling Mary L., Paterson Anna T. & Peysner K.* Rapid daily turnover of vasopressin in the neurohypophysis of mice and rats. 90*P*

*Laycock J.F., Lightman S.L. & Obika L.F.O.* Dose-related cardiovascular effects of intravenously injected vasopressin in the anaesthetized Brattleboro rat. 91*P*

*Chatamra K.-R. & Daniel P.M.* Diminution in the glycogen content of muscle of fasted rats. 92*P*

*Becker D.L. & Cook J.E.* Refinement of brachial selection by regenerating axons in the goldfish optic tract is not linked to activity-dependent refinement of the retinotectal map. 93*P*

*Izzo P.N., Lin R.J., Mifflin S.W., Spyer K.M. & W.-Wray D.J.* Functional topography and axonal morphology of hypoglossal motoneurones in the cat. 94*P*

*Bliss T.V.P., Clements M.P., Errington M.L. & Lynch M.A.* Evidence that hippocampal long-term potentiation in the rat is associated with a G-protein-mediated modulation of phosphatidylinositol turnover. 95*P*

*Bliss T.V.P., Errington M.L., Evan G. & Hunt S.P.* Induction of c-fos-like protein in rat hippocampus following electrical stimulation. 96*P*

*Fisher E.J. & Patterson J.A.* Photoreceptor sizes in the retina of the squid, *Alloteuthis subulata*. 97*P*

*Marriott John F. & Marshall Janice M.* The effects of hypoxia upon rabbit basilar arteries *in vitro*. 98*P*

*Esplugues J.V. & Whittle B.J.R.* Mechanisms underlying Paf-induced rat gastric motility *in vivo*. 99*P*

*Spencer C.I.* Titration of the force-generating sites in chemically skinned psoas muscle fibres of the rabbit using the laser-flash photolysis of caged ATP. 100*P*